International Journal of Research in Engineering, Science and Management
Volume 9, Issue 7, July 2026
www.ijresm.com | E-ISSN: 2581-5792 | RESAIM Publishing | www.resaim.com

Hyper-Automation Anxiety: Assessing Job Insecurity and Progression Collapse in the Age of Prompt-Driven Engineering

Harshil Lodhiya*
Product and AI Engineering, SlicedHealth Inc., Vadodara, India

***Abstract*: The rapid emergence of autonomous, prompt-driven AI agents capable of executing end-to-end software engineering tasks from single-line instructions has created a paradigm shift in the software industry. While efficiency gains are widely documented, emerging evidence also points to a psychological cost for software professionals across experience levels that remains comparatively under-researched. This paper conceptualizes Hyper-Automation Anxiety, a proposed construct describing the acute job insecurity, identity loss, and career progression paralysis reported by engineers navigating this shift. We outline three core psychological dimensions grounded in recent empirical and industry evidence, including two large-scale developer surveys totaling over 70,000 respondents: (1) the transition from software creator to code auditor, (2) the erosion of entry-level career ladders, and (3) hyper-velocity adaptation fatigue. A structured survey instrument and strategic mitigation model are proposed as a basis for future empirical validation and for helping software organizations balance autonomous tooling with engineer well-being.**

***Keywords*: AI agents, Career progression, Code auditing, Developer mental health, Hyper-automation, Job insecurity, Software engineering.**

1. Introduction

For decades, software engineering operated on a craft-based meritocracy. Engineers developed mastery over programming languages, software design patterns, and architectural paradigms over years of disciplined practice. Upward professional mobility was directly tied to an individual's technical execution depth, algorithmic problem-solving ability, and efficiency.

However, the rapid deployment of autonomous AI agents capable of intaking a single natural language prompt and autonomously generating, testing, debugging, and deploying complete end-to-end applications has radically altered this ecosystem [3], [7]. Rather than serving as localized developer aids, these autonomous agents bypass the human execution pipeline entirely.

This abrupt transition is already correlated with measurable anxiety and well-being concerns among software professionals [2], [3]. In a 2025 industry survey of over 24,000 developers, 17% reported feeling anxious and 6% fearful about AI's growing role in their work, against 29% hopeful and 22% excited [8] (Fig. 1). Engineers across junior, mid-level, and senior ranks report heightened anxiety, stress, and uncertainty regarding their job security and future career viability [1], [2], [5]. This paper formalizes this phenomenon as Hyper-Automation Anxiety and provides a conceptual framework to measure and address its impact on the software workforce.



Fig. 1. Reported emotional response to AI's growing role in software development (JetBrains, 2025n=24,534)

2. Core Psychological Dimensions

A. The 'Craftsman to Auditor' Identity Crisis

Software engineers traditionally derive psychological fulfillment and a state of 'flow' from active problem-solving and writing code [7]. Prompt-driven autonomous agents invert this dynamic by relegating human engineers to line-by-line reviewers and prompt managers.

1) Cognitive Dissonance in Code Auditing

Auditing large volumes of machine-generated code imposes high cognitive load and introduces new forms of oversight labor, often yielding less intrinsic reward than authorship [3]. This burden is compounded by a persistent trust gap: in a 2025 survey of over 49,000 developers, only 33% reported trusting the accuracy of AI-generated output against 46% who actively distrusted it, with experienced developers showing the lowest trust and the highest distrust of any group [9] (Fig. 2). Engineers increasingly report a diminished sense of code ownership and feel more detached from the end product.

*Corresponding author: lodhiyaharshil@gmail.com



Fig. 2. AI tool usage vs. Trust in AI output
(Stack Overflow, 2025 Developer Survey, n=49,000+)

2) Loss of Creative Agency

When an agent handles end-to-end synthesis, human engineers can lose a degree of creative autonomy over system design and logic implementation, a dynamic linked to reduced professional satisfaction [3], [5].

B. Progression Collapse and Meritocracy Panic

Historically, the transition from Junior to Senior engineer occurred through executing entry-to-mid-level tasks (e.g., writing boilerplate code, unit testing, minor bug fixes). Autonomous agents now execute many of these same tasks, and labor-market data show junior hiring at AI-adopting firms declining sharply relative to non-adopters while senior hiring is largely unaffected [1].

Erosion of Entry-Level Rungs: Organizations increasingly reduce junior hiring under the assumption that agents perform junior-level work faster and cheaper, a pattern documented as "seniority-biased" technological change [1]. This asymmetry shows up directly in developer-reported experience: in the same 2025 industry survey, 61% of junior developers described the job market as challenging, compared to 54% of senior developers [8] (Fig. 3).



Fig. 3. Perceived job market difficulty by seniority
(JetBrains, 202, n=24,534)

The Senior Competency Void: Without the basic technical execution tasks that historically built foundational intuition, future engineers risk struggling to gain the expertise required to become system architects.

Impostor Syndrome and Promotion Uncertainty: Established evaluation frameworks (e.g., code output, feature velocity) are rendered obsolete, leaving engineers unsure how to demonstrate merit for career advancement.

C. Hyper-Velocity Anxiety and Skill Obsolescence

Unlike previous technological shifts that unfolded over multi-year cycles, agentic AI frameworks evolve on a near-weekly basis. Engineers face an unsustainable learning treadmill, feeling compelled to study new prompt paradigms and agent architectures outside working hours to avoid skill obsolescence, a dynamic recently formalized in the literature as "reskilling fatigue" [6]. This pressure is widely anticipated across the field: 68% of developers surveyed in 2025 expect AI proficiency to become an explicit job requirement [8].

3. Measurement Framework & Formulation

Drawing on multidimensional models of software-engineer well-being [4], we propose the following Hyper-Automation Anxiety Index (A_ha) as a weighted linear combination of four psychological metrics to be empirically validated in future work:

$$A_ha = w1 \cdot S_job + w2 \cdot I_craft + w3 \cdot P_climb + w4 \cdot V_stress$$

Where,

- S_job represents perceived job security risk ($1 \leq S_job \leq 5$).
- I_craft represents loss of craft fulfillment ($1 \leq I_craft \leq 5$).
- P_climb represents career progression ambiguity ($1 \leq P_climb \leq 5$).
- V_stress represents hyper-velocity learning fatigue ($1 \leq V_stress \leq 5$).
- w1, w2, w3, w4 are normalized weighting coefficient factors such that $\sum w_i = 1.0$.

A. Proposed Survey Instrument

Table 1 provides the survey instrument structure designed to evaluate these variables in software engineering organizations. This instrument has not yet been fielded; it is presented here as a basis for future empirical validation. In its absence, we draw corroborating context from two large, publicly available industry surveys the 2025 JetBrains State of Developer Ecosystem survey (n = 24,534) [8] and the 2025 Stack Overflow Developer Survey (n = 49,000+) [9] cited throughout this paper. These datasets did not use our proposed instrument and should be read as motivating context rather than validation of the A_ha index itself.

4. Figures and Workflow Models

Fig. 4 illustrates the operational displacement cycle that transforms engineering satisfaction into anxiety.

Table 1
Survey instrument for assessing hyper-automation anxiety

Dimension	Survey Metric Question	Point Scale	Purpose in Paper
Job Security (S_job)	"I am anxious that autonomous AI agents will render my software engineering role redundant within 24 months."	1–5 (Likert)	Assesses acute employment dread.
Craft Identity (I_craft)	"Reviewing AI-generated code yields significantly less satisfaction than manually designing and writing code."	1–5 (Likert)	Measures loss of creative agency.
Progression (P_climb)	"I am unclear on what technical competencies I must demonstrate to secure my next promotion."	1–5 (Likert)	Evaluates career ladder collapse.
Velocity (V_stress)	"I feel constant stress trying to keep up with weekly updates in AI tools and agent frameworks."	1–5 (Likert)	Measures adaptation burnout.

Table 2
Mapping of psychological dimensions to evidence and proposed mitigations

Dimension	Key Evidence	Proposed Mitigation
Job Security (S_job)	Seniority-biased hiring decline [1]; 17% anxious / 6% fearful about AI's role [8]	Partially addressed by Redefining Performance Evaluations; broader labor-market exposure remains unresolved at the organizational level (see Section 6)
Craft Identity (I_craft)	Trust gap in AI-generated output [9]; reduced creative autonomy [3], [5]	Redefining Performance Evaluations — shifts evaluation toward architecture oversight and edge-case reasoning that AI agents do not replace
Progression (P_climb)	61% vs. 54% junior/senior job-market difficulty [8]; erosion of entry-level rungs [1]	Structured Apprentice Pathways — preserves a manual-execution stage for building foundational intuition before junior engineers manage agents
Velocity (V_stress)	"Reskilling fatigue" [6]; 68% expect AI proficiency to become a job requirement [8]	Dedicated Continuous Upskilling Hours — converts unpaid personal-time learning pressure into allocated paid hours

Fig. 4. Workflow transition cycle leading to developer psychological distress

5. Strategic Organizational Mitigations

Recent work on generative AI in the workplace argues that outcomes for workers hinge on whether AI tools satisfy or frustrate three psychological needs: competence, autonomy, and belonging [5]. Building on this framing, each mitigation below is mapped to the specific A_ha dimension (Section 3) it is intended to address, rather than proposed as generic best practice. Table 2 summarizes this mapping, alongside the evidence motivating each dimension. We propose that organizations adopt the following structural adaptations to prevent mass burnout and maintain high-performing engineering teams:

1) *Redefining Performance Evaluations (targets I_craft, S_job):* Organizations must pivot from code volume/velocity metrics to human-centric indicators such as system architecture oversight, ethical safety validation, and domain-specific edge-case problem solving.
2) *Dedicated Continuous Upskilling Hours (targets V_stress):* Companies must allocate paid working hours (e.g., 4–6 hours per week) specifically for engineers to study and adapt to evolving AI tooling, eliminating personal time pressure.
3) *Structured Apprentice Pathways (targets P_climb):* Companies must establish dedicated mentorship environments where junior engineers can continue writing foundational software components manually to build intuition before managing autonomous agents.

6. Limitations and Data Sources

Nature of the evidence base: This paper is a conceptual and position paper. No original survey, interview, or experimental data was collected by the authors for this work. All quantitative figures cited in Sections 1–3 are secondary statistics drawn from two publicly available, third-party industry surveys.

Datasets used: (1) JetBrains, "State of Developer Ecosystem 2025" [8]: 24,534 professional developers across 194 countries, surveyed April–June 2025 via paid social ads, referrals, and JetBrains' own channels, with responses weighted by region, employment status, and programming language to reduce platform bias; anonymized raw data is publicly downloadable. (2) Stack Overflow, "2025 Developer Survey" [9]: 49,000+ respondents across 177 countries, an annually recurring self-selected survey of the Stack Overflow community, with results and an anonymized dataset published openly. Both are non-probability, self-selected samples of technologically engaged developers; neither was designed around the specific constructs (S_job, I_craft, P_climb, V_stress) proposed in Section 3 of this paper.

What has not been done: The Hyper-Automation Anxiety Index (A_ha) and its four-item survey instrument (Table 1) are theoretical proposals only. They have not been administered to any sample, and no reliability, validity, or factor-structure analysis has been performed. The percentages cited from [8] and [9] should be read as motivating, corroborating context for the constructs described — they do not measure A_ha directly, and no statistical relationship (e.g., correlation or regression) between these datasets and our proposed index is claimed or implied.

Figure notes: Figs. 1–3 summarize the cited third-party statistics. Fig. 2 depicts AI tool usage and trust in AI output as reported within the same Stack Overflow sample [9]; because the source does not publish the exact joint distribution of these two measures, the overlap is drawn assuming trust is a subset of usage, a reasonable simplifying assumption rather than an observed figure, and should be read as illustrative rather than exact. Figs. 1 and 3 report independently tabulated percentages and involve no such assumption.

Implication: Because this work relies on secondary, cross-sectional survey data rather than a purpose-built and validated instrument, no causal claims are made about AI adoption producing the psychological outcomes described. Future work should administer the Section 3 instrument to a representative sample of software engineers, ideally with longitudinal follow-

up, and pursue formal psychometric validation of the A_ha construct before it is used for organizational decision-making.

7. Conclusion

The emergence of single-prompt, end-to-end autonomous AI agents represents a monumental leap in software production capabilities, but it is reshaping the psychological experience of software engineering faster than the field has been able to study it. This paper's contribution is threefold: (1) it names and structures Hyper-Automation Anxiety as four distinct, measurable dimensions rather than a single undifferentiated concern; (2) it grounds each dimension in corroborating evidence from two large-scale industry surveys, rather than treating the phenomenon as purely anecdotal; and (3) it derives organizational mitigations directly from those dimensions, as summarized in Table 2, rather than proposing generic workplace wellness advice. What this paper does not yet do is validate the A_ha index itself, and that is the necessary next step. We call for three concrete follow-ups: fielding the Section 3 instrument against a representative, non-convenience sample of software engineers; testing whether the three proposed mitigations measurably shift S_job, I_craft, P_climb, or V_stress scores when piloted inside real engineering organizations; and tracking these dimensions longitudinally as agentic AI capabilities continue to change on the near-weekly cycle described in Section 2C. Until that validation work is done, this framework should be read as a structured hypothesis about developer well-being under AI automation, not a settled measurement of it, but one specific enough to be tested, and organizations do not need to wait for that validation to begin decoupling performance evaluation from tasks that agents now perform.

References

[1] S. M. Hosseini Maasoum and G. Lichtinger, “Generative AI as seniority-biased technological change: Evidence from U.S. résumé and job posting data,” Harvard Univ., Cambridge, MA, USA, Working Paper, Aug. 2025.

[2] D. Farooqi, G. Pu, S. Paudel, S. Sultana, and S. I. Ahmed, “Job anxiety in post-secondary computer science students caused by artificial intelligence,” arXiv:2601.10468 [cs.CY], Jan. 2026.

[3] M. Guizani, M. Subasinghage, S. A. Licorish, and S. Ouhbi, “At what cost? Software developers' well-being in the age of GenAI,” arXiv:2605.22349 [cs.SE], May 2026.

[4] P. Godliauskas and D. Šmite, “The well-being of software engineers: A systematic literature review and a theory,” *Empir. Softw. Eng.*, vol. 30, no. 1, art. 35, 2025.

[5] E. Hermann, S. Puntoni, and C. K. Morewedge, “Why Gen AI feels so threatening to workers,” *Harvard Bus. Rev.*, Mar. 2026.

[6] T. E. Biju, A. Ambady, and T. K. V, “AI-driven skill volatility and the emergence of re-skilling fatigue: The human cost of perpetual learning,” *Front. Artif. Intell.*, vol. 9, art. 1785979, May 2026.

[7] A. Noda, M.-A. Storey, N. Forsgren, and M. Greiler, “DevEx: What actually drives productivity?” *ACM Queue*, vol. 21, no. 2, pp. 35–53, 2023.

[8] JetBrains, “The state of developer ecosystem 2025,” JetBrains s.r.o., Prague, Czech Republic, Oct. 2025. [Online]. Available: https://devecosystem-2025.jetbrains.com/

[9] Stack Overflow, “2025 Stack Overflow developer survey,” Stack Overflow, New York, NY, USA, 2025. [Online]. Available: https://survey.stackoverflow.co/2025/